Brownsville Independent School District
Board Meeting May 4, 2021
Bid# 21-051 Audio Visual Equipment District-Wide

1	**CART, AV: 26"/42" Height adjustable Range. Metal Construction. Shelf Size to be 18" x 24". All-Welded Steel Tables to provide Mobility for AV Equipment. One Piece Roll-Formed Shelves are fully ARC-Welded to Legs. Top Rubber Pad Keeps Equipment From Sliding and Dampens Sound. Table Equipped with Ball Bearing Swivel Casters, Two with Brakes. 2 Outlet Electrical, 20' Long with Cord Winder and Molded Plug. Safety Belt - 1 1/2" Wide X 12' Long Strap with Ratcheting Buckle. BUHL Model #HA4226E W/BELT-12 or equal.**

Supplier	QTY	UOM	Price	Recommendation
[ALT1] Audio Visual Aids (Audio Visual Aids Co)	1	EA	$154.00	Reccommended

2	**CART, AV CABINET: Locking Cabinet to Store Slides, Transparencies, Extra Bulbs, etc. Black Powder Paint Coating Gives a Scratch-Resistant Finish. Adjusts to Five Heights: 26", 30", 34", 38" and 42". All-Steel Welded Construction. 4" Casters, 2 Locking Ribbed Rubber Mat on Top Shelf. Two Outlet Electrical Unit with 20' Cord. Shelf Size: 24" wide X 18" Deep. BRETFORD MODEL #A-2642 or equal.**

Supplier	QTY	UOM	Price	
B&H Photo-Video-Pro-Audio (B & H Foto & Electronics Corp.)	1	EA	$185.70	Recommended

3	CD/RADIO/CASSETTE RECORDER (3 PIECE): Features: Remote Control (CD< Tuner, Volume, Power Function), Dual Stereo Cassette Deck, Digital Synthesized AM/FM Stereo Tuner, Mega Bass Sound System, 4 Pattern Electronics Sound Mode (Rock/Pop/Jazz/Club), DC Player with 1 Bit D/A Converter, Loop/Flash, 20 Track RMS Programming (CD), Clock/Sleep/Timer, Synchronized CD/Cassette Dubbing, 2-Speed Tape to Tape Dubbing and Full Auto Stop, SONY MODEL NCW# CFD-G505 or approved equal.

Supplier	QTY	UOM	Price	
Romeo Music	1	EA	$75.00	Recommended

4	DVD PLAYER: Progressive Scan DVD/CD Player with 480P Output, DVD-RW/-R (Video Mode) DVD+RW/+R Playback. MP3/CD-R/CD-RW Playback, 10 Bit Video DAC with 54 MHz processing, Dolby Digital and dts Decoding Compatible, Component Video Output, General Features, Silver Finish, Progressive Scan DVD/CD Player, 480P Output Type, Precision Drive 2 with Dynamic Tilt Compensation Past Generation of Precision Drive Technology were only able to Compensate for Warped Discs by moving the entire Optical Block, which took more time and limited the amount or correction possible. Sony's new precision Drive 2 System Simplifies the process by moving the Lens-Instead of the entire Optical Block-for faster and more accurate error correction, SVCD/VCD/CD/CD-R/CD-RW Playback, DVD-R/RW (Video Mode) Playback, MP3 Playback, DVD/CD Text, 10 Bit Video DAC with 54 MHz processing, 192 kHz 24 Bit Digital to Analog Converter, Dolby Digital and dts Coaxial Output, Multi-Disc Resume - 6 Discs, TV Virtual Surround 4 Surround Modes, Block Noise Reduction, Digital Video Enhancer, Digital Video EQ. Custom Picture Mode, Advanced Smooth Scan and Smooth Slow Modes, Instant Replay and Instant Replay and Instant Search, Full 3-2 Reverse Conversion, Inputs and Output, Analog Audio, Coaxial Digital Output, Convenience Features, Quick Set-Up, Remote Control w/Multi-Brand TV Control. SONY DVPN557PS or approved equal.

Supplier	QTY	UOM	Price	
[ALT1] Troxell Communications, Inc.	1	EA	$31.36	Recommended

5	MIXER/AMPLIFIER: Powered Mixer Amplifier - 1200 Watt System (2 X 600 Watts into 4OHMS) WITH 16 Mono Channels, Two Stereo Channels, and a maximum of 24 Inputs. Powered by Integral Stereo Amplifiers with Thermal Protection and Speaker Output Isolation. Mono Channels have XLR Mic Connectors, Ultra Mic Preamps with 60 DB of Gain, A 1/4" Insert, Pan Control, and Three-Band EQ with Sweepable Mid. Stereo Channels have L/R 1/4" Inputs, Gain Control, Balance Control, and Three-Band Fixed EQ. Master Controls include L/R Seven-Band Graphic EQ with Bypass Switches, L/R Ten-Segment Meters, 60MM Tapered Faders, and Global #48V Phantom Power. Lexicon effects Unit has Editable, User-Storable Programs and Dual effects Combination. Two Auxiliary returns (1 Pre/Post Fader), A stereo effects return (L/R 1/4") with level control, and 40 HZ, 18 DB per Octave Subsonic Speaker Protection. Speaker Connection: 4 Binding Post and 2 Speak on Connectors. Internal Power Supply, Freestanding Only. Crown-XLS602B Amplifier or equal.

Supplier	QTY	UOM	Price

6	PA SOUND SYSTEMS: VHF Wireless Sound System with Cassette Deck - to include a Clip-On Wireless WM-120 Transmitter (VHF) with Lavalier Microphone which provides mobility during Presentations, Etc. Wide Transmitting Range of 150 feet 40 watts Built-In Rechargeable Battery Cassette Deck with Auto Reverse separate volume controls and input jacks for two corded Microphones and one auxiliary function volume controls for cordless Mic and Tape Player. Dimensions 10"W X 16"H x 9 1/2"D. I.N. APOPA6000 or equal.

Supplier	QTY	UOM	Price	
Advantage Imaging Supply, Inc.	1	EA	$591.00	Recommended

7	**SCREEN: 60" x 60" Wall Mounted. Matte White Surface. Has a Baked Enamel Case and Power Coated End Caps with a Nylon Bearing to Support the Roller. Comes with Dalite's Camlok Roller System and a Spring assist ensures attachment of the fabric to the Roller. Case's Flat Back Design mounts easily onto the Wall or allows for Ceiling Suspension, Preventing Fabric Rub. Draper Star 60X60 or equal.**

Supplier	QTY	UOM	Price	
Advantage Imaging Supply, Inc.	1	EA	$89.00	Recommended

8	**SCREEN: 60" X 60" Tripod. Screen has a Matte White surface with Black Border and is Flame-Retardant and Mildew-Resistant. Rugged Steel Case. Black Enamel Finish with Chrome Legs. Apollo VPT6060 or equal.**

Supplier	QTY	UOM	Price	
[ALT1] PYRAMID SCHOOL PRODUCTS (PYRAMID PAPER COMPANY)	1	EA	$196.99	Recommended

9	**PA SOUND SYSTEM: Fender PD-500 Watt Mixer W/FLS, 14-50 HORI 50 FT. 14GA Speaker Cable, HTC-70B ULTS (14018) TS-70B Speaker Stand, LZ-35 HORI 25 FT. Standard LO Z Cable, PVM22 PV Diamond Microphone, PR 12 PV-2 Way Molded PA enclosure 8 OHMS or equal.**

Supplier	QTY	UOM	Price	
[ALT1] Sweetwater Sound INC	1	EA	$795.73	Recommended

10	**LCD 23" HDTV MONITOR: Philips 23PF5320 HDTV Monitor -23" Diagonal Widescreen LCDE HDTV Monitor with Build-In Speakers and included Pedestal Stand. Display capabilities: 480p/720p/1080 Resolution (Number of Pixel) 1,049,088 (1366X768) Pixels or equal.**

Supplier	QTY	UOM	Price	
[ALT1] Fork and Garden LLC	1	EA	$149.99	Recommended

11	**LCD 23" WAL-HANGING BRACKET: Peerless ST630P. Optional accessories to mount the Panasonic TC-23LX50 LCD Monitor to the Wall or equal.**				
	Supplier	**QTY**	**UOM**	**Price**	
	Troxell Communications, Inc.	1	EA	$17.76	Recommended

12	**DOCUMENT CAMERA (ANALOG): TT-025 Document Camera (Analog) - 1/3" Colour CCD Image - 410,000 Pixels Big 14/3" X 10.7" TO 7.0" X 5.3" Shooting area 470 TV Lines Resolution. - Quality Image easy carry - easy unfold - easy set-up focus free (No Focus Required) No Iris Adjustment - Automatic White Balance Easy Plug and Play with RCA and S-Video Connections to video monitor and LCD / DLP Projector and only 3.3 LBS (1.5 KGS) or equal.**				
	Supplier	**QTY**	**UOM**	**Price**	
	[ALT1] Fork and Garden LLC	1	EA	$239.99	Recommended

13	**DOCUMENT CAMERA (DIGITAL): Epson DC-10S Document Camera (Digital) or Equal - High Resolution mobile w/true SGA Resolution: 14" X 19" Scanning area folds into compact Notebook Size. Easy Plug and Play Connections to PC and LCD/DLP Projectors. SXGA (1280 X 1024) Capture and Output Resolution. RGC PC (15) Pin for Easy Laptop presentation switching. Has a 40X Zoom (5X Digital, 8X Manual) Lens that can Amplify very Small Objects. Easily Switch between your PC and Document Camera with Convenient VGA Input.**

Supplier	QTY	UOM	Price	
[ALT1] IPEVO Inc	1	EA	$219.00	Recommended

14	PORTABLE PA SYSTEM WITH SPEAKER STANDS: The Fender P-150 is a great all around Portable PA System. The P-150 is small enough to carry and provides Huge Sound. The P-150 features a 4 Channel Mixer, 150 Watt Stereo Power AMP. Weighting just 26 lbs. The P-150 is perfect for small to medium presentation. Perfect for groups up to 300 people in size. Gray Luggage Style Molded Case protects the product during transportation from Physical Damage and the Elements. Four Input Mixer: Three Mic/Line One Mono/Stereo Operates on Ac or With Passport DC Power Accessories 150 Watts (75 per channel) Stereo Digital Reverb one P-51 Microphone (with Mic Clips, Cables and Individual Carrying Punches) Two 20' Speaker Cables. To include Speaker Stands also or equal.

Supplier	QTY	UOM	Price	
[ALT1] Sweetwater Sound INC	1	ea	$405.60	Recommended

15	MULTIMEDIA PROJECTORS: Multimedia Projectors for classroom use, Hitachi CP-X5 or Equal Native XGA Resolution 1024 X 768, SXGA (Compressed), Please specify additional resolutions, Lumens will be 2500 ANSI Lumens or Better. Native Contrast Ratio will be a minimum ANSI 2000: 1 Ration, All Projectors will be filter free to eliminate filter maintenance. Projectors will be capable of ceiling mounting, color reproduction will be 16.7 million colors or better, Projector will Utilize Brilliant Color Technology or Equivalent, Lens Throw Ratio will be 4' to 34', Projected Screen Size will be 36" to 200". Automatic and Manual Keystone Correction, Black Board Mode for Non-White Walls when used without a Screen, Video Input NTSC< Projector Video Inputs: (2) RGB 15-{in VGA Ports, (1) SVideo Port, (1) RCA Composite Video Port, Projector Audio Inputs: (1) Stereo Mini-Jack, (2) RCA L/R Jacks, Projector Outputs: (1) RGB 15-Pin VGA out, (1) Stereo Mini-Jack with Variable Audio Output, PC Interface will be either RS232 or RJ45 with Management Capabilities, Anti-Theft Device will be included, Please Specify, each Projector will include a Mouse IR Remote with Batteries. Power Cable, VGA Cable, CD ROM and a users Manual, Lamp Life will be 2000 Hours or Better on Standard Mode, Specify Lamp Life on Ecomode: Power Consumption of Projector on Standard Mode: Please Specify Number or Watts, Each Projector will include A Three Year Warranty on the Projector and a One Year Warranty on the Included Lamp.

Supplier	QTY	UOM	Price

16	INTERACIVE WIRELESS TABLET: Interactive Wireless Table-AirSlate 3 AS3; Qwizdom QIT30, or Equal. Maximum Interaction with students or Audience because the Teacher/Presenter can move to any from location. Live annotation on presentations, programs, documents and Web pages. Simple Setup and Operation Process, Wireless 2.4G RF, 8" x 6" Active Area, 2000 LPI (80 Lines per MM) Resolution, 1024 Pressure Level, 120 Points/Sec report rate, Minimum 30 Number of Sltates or up to 50 max number of Slates, 16 hours continuous mode, Mini Connector for USB< Pen: with AAA (1.5V) Battery Included. Battery Charger, USB Port or Computer, Weight 1.1lbs Dimensions 10.9" X 11.1" X 0.*", 1 Year Warranty. Includes Pen, Pencil, & Highlight Tools, works with all Microsoft Office Programs including PowerPoint, Excel and Word. Runs on Windows or Mac, Compatible with White Broad Devices.

Supplier	QTY	UOM	Price	
Advantage Imaging Supply, Inc.	1	EA	$216.00	Recommended

17	INTERACTIVE WHITEBOARD: Smart Board Model 640 or Equal. Dimensions Active Screen Size 48" (121.9 CM), features Touch-Sensitive Surcharge, Expansion Slot, Pens, Eraser, On-Screen Keyboard, Right mouse and Help Buttons, Smart Pen Tray, USB Connection. Durable Surface-Hard Coated Polyester surface to be tear Proof, Optimized for Projection, Compatible with Dry-Erase Markers and Easily Cleaned with White Board Cleaner. USB Cable, Expansion Slot, includes Wall-Mount Bracket-Stabilizing Safety Guards, Wireless Connection-Connects your Computer Via USB and Bluetooth Technology, Warranty-Five Years Upon Product Registration, Two Years Standard.

Supplier	QTY	UOM	Price

18	**PLATINUM FLAT PANEL CHART: The Balt Platinum Flat Panel Cart features A Modern Design to Accommodate A Wide Variety Flat Panel Displays, Moving From Room to Room with Ease. Cart holds up to a 50"/100LB. Display and Tilts up to 37 Degrees for Optimum viewing. AV Shelf (32" W X 34"D) is scratch-resistant Gray Laminate. Perforated Steel Panel Beneath Shelf Provide Stability and Cable Management. Frem is Silver Power-Coated Steel with Heavy Duty 5" Casters (Two Locking). Model #27544 or equal.**

Supplier	QTY	UOM	Price	
[ALT1] ADORAMA INC.	1	EA	$213.85	Recommended

19	**DRAPER ROADWARRIOR PORTABLE SCREEN: Road Warrior or Equal is a Portable Projection Screen with Tubular Aluminum Case. Easy Set-Up: Put it on the Floor, Open the Case, and Lift Easily to Desired Height. Lightweight, Spring-Roller Operated, Easy to Carry. Has A Durable Built-In Carrying Handle.**

Supplier	QTY	UOM	Price	
[ALT1] Audio Visual Aids (Audio Visual Aids Co)	1	EA	$458.00	Recommended

20	AVERVISION 300AF+: The Avervision 300AF+ or Equal is a full feature Document Camera perfect for any Classroom Environment or Subject. with a 3.2 Mega Pixel Sensor, The images produced are the clearest and sharpest available at an Economic Price Range. The Auto Focus Quickly adjusts to produce a sharp image whether at standard zoom and Pan, or the Full sixteen time magnification. Able to capture up to 80 images to the camera itself, or Images and Video with Audio to a PC or Mac - Lesson content can be stored and reviewed at any item. Able to Integrate into most other classroom presentation products and interactive whiteboards, the Avervision 300AF+ can easily combine with other technologies. Included Laser Positioning guides take guesswork out of where to place a document or object under the camera while the 360 Degree access full function remote control allows presenters to control the Avervision 300AF+ from anywhere in the room. Optional Microscope adaptors allow Virtually any Microscope to be connected to the 300AF+ to show the smallest Microscopic detail on a large screen.

Supplier	QTY	UOM	Price	
Advantage Imaging Supply, Inc.	1	EA	$299.00	Recommended

21	**AUDIO TECHNICA HANDHELD MIKE: Audio Technica Handheld MIDE 2000 series or Equal second generation 2000 series is a 10 Channel frequency-Agile UHF Wireless System designed to suit a variety of applications, including MI/LIVE performance, Fixed installation, public address and auditoriums. The system offers all the advantages of a high-quality, professional wireless system at an affordable price. New professional features include two available frequency bands and switchable antenna power. Offering 10 selectable channels in one of two UHF frequency ranges and true diversity UHF Wireless technology, the 2000 series features automatic frequency scanning. At the touch of a button, this function automatically determines and sets the best available frequency. Any of the 2000 series' 10 Channels may be used together without any frequency coordination problems or group selection issues. The 2000 series also incorporates Audio-Technica's Tone Lock(TM) Squelch Plus an easy to read LCD information display.**

Supplier	QTY	UOM	Price	
[ALT1] Troxell Communications, Inc.	1	EA	$285.56	Recommended

22	AUDIO ENHENCEMENT PORTABLE PA SYSTEM -with handheld Lapel Microphones Model# BD-09, K-BD09 or equal.				
	Supplier	**QTY**	**UOM**	**Price**	
	Advantage Imaging Supply, Inc.	1	EA	$1,699.00	Recommended

23	PORTABLE STEREO SOUND SYSTEM: System sets up easily and quickly. 250 Watts of Stereo Power. 4 Mike/Line Inputs. Vocal Input priority Circuitry automatically lowers all other signals in the system when you speak into the microphone. Flexible Input and Output Connections, Tone Control on each Channel, System Tone Control, Digital Reverb, Recording Output and Inputs for CD, Tape, DVD or Computer Connections. To include 2 full range speakers, 2 speaker cables (30'), 2 Mike Cables (20"), 2 handheld Microphones, Power Cord, instruction Manual and Warranty Card. Distortion: <0.1%.20HZ to 20KHZ power output: 125W/CH continuous average power, 9 OHM, both Channels driven with THD <1% Fender P-250 or Equal.

Supplier	QTY	UOM	Price	
[ALT1] Sweetwater Sound INC	1	EA	$623.48	Recommended

24	TRUTOUCH 65" INTERACTIVE LED TV: This multi-function display is a perfect solution for education classrooms and conference rooms for better collaboration on your own content. With the TRU TOUCH VN series and its object recognition ability, the panel recognizes whether you're trying to write swipe, click, or move. BYOD READY. Connect with a variety of I/O ports, including 4 HDMI ports and a Display Port. Video resolution 3840 X 2160. Speaker Power output 15W (x2) The TRUTOUCH VN offers a wide variety of I/O ports providing connectivity to laptops, DVD players, cameras, microphones and more. With ports on the front, back, and side of the panel, it's easy to connect any device. With more responsive IR touch technology, 4K Ultra-High Definition resolution, and its non-proprietary nature, TRUTOUCH VN lets you collaborate on content better - without limits. Optically bonded screen gives a viewing angle up to 178°. 4K Ultra-High Definition resolution redefines clarity for your images and presentations. Interact with a non-proprietary pen or with your fingers. 5 year warranty

Supplier	QTY	UOM	Price	
Audio Visual Aids (Audio Visual Aids Co)	1	EA	$1,827.00	Recommended

25	**BALANCE BOX HEIGHT ADJUSTABLE MOUNT SYSTEM: Balance Box 400 & 650 Series AVM-BB400 / AVM-BB650 or Equal. Features: Easily adjust the height of large touchscreens with just the touch of a finger. Patented spring system combines effortless movement with stability and control. Ergonomic design for all ages. Compact design hides behind the screen for a clean finish. Fast and easy to install. Low transportation costs. No maintenance. Includes universal VESA bracket Optional mobile stand.**				
	Supplier	**QTY**	**UOM**	**Price**	
	[ALT1] Audio Visual Aids (Audio Visual Aids Co)	1	EA	$879.00	Recommended

26	iTEACH SPIDER FLAT PANEL CHART: Electrical or Manual Height Adjustable Flat Panel Cart. Engage your audience anywhere with the new and modern black iTeach Spider Flat Panel Cart, a stylish solution to your flat panel mobility needs. Available in either an electric or manual height adjustable model, Sleek black finish adds a dramatic and modern touch to any environment. Each supports a display up to 100" / 250lbs (to include all cables and accessories). VESA mount size up to 800 X 600. Electric version comes with a UL-approved system that allows for 18" of smooth height adjustment (from 37" at the bottom to 55" at the top) with a handy wired remote. Electric Height Adjustable: 75"-98"H x 58"Wx30.25"D 219lbs . Manual height adjust version features a mounting bracket that can be attached at six different heights. Manual Height Adjustable 74"Hx58"Wx30.25"D 184lbs The brackets range from 20.63 at the bottom to 67.88" at the top. Each set of brackets is 6.3" apart. Overall dimensions of height adjustment will vary depending on the size of display. Optional power strip surge protector with seven outlets, a 25" cord, and cord winder available. Adjustable Deluxe Power Strip with Surge Protector 7 outlets/25' cord/cord winder 4lbs Mounting brackets are attached along the base at 6.3" apart or equal

Supplier	QTY	UOM	Price	
AVES Audio Visual Systems, Inc.	1	EA	$702.00	Recommended

27	TRUTOUCH VN SERIES 650: Blacklight-LED, DISPLAY AREA - 56.2 X 31.6in. ACTUAL SCREEN SIZE: 65 in. DISPLAY RATIO: 16:9; RESOLUTION: 3840 x 2160 pixels; DISPLAY COLORS: 10 bit; BRIGHTNESS: 370 nit; CONTRAST: 4000.1; RESPONSE TIEM: 8ms; VIEWING ANGLE: 178"; LIFE TIME: 50,000 hours; SPEAKER POSITION: Forward; MAXIMUM POWER OUTPUT: 15W (x2); POWER CONSUMPTION: Max <220 W: Standby <0.5W; WORKING VOLTAGE: AC 100-240 V, 50/60 Hz; TOUCH SURFACE: Anti-Glare, Anti-Fingerprint Tempered Glass; TRANSPERANCY: 88%; SURFACE HARDNESS: 7H; HID SUPPORT: HID; TOUCH POINTS: Up to 20 Points of Touch; WRITING TOOLS: Stylus, Finger, Eraser; SCAN SPEED: 250Hz; POSITIONING ACCURACY: 1-2mm; COMMUNICATION INTERFACE: USB; STORAGE TEMP./HUMIDIT: 14" - 122" / 10% - 90% RH; WORKING TEMP/HUMIDITY: 32" - 104" /10% - 90% RH; MOUNTING: Wall Mounted/Stand; OUTLINE DIMENSION: 60.8 x 37 X 3.9in.; PACKING DIMENSION: 67.1 x 42.5 x 10.4in; NET WEIGHT: 85.98lbs; GROSS WEIGHT: 127.87lbs; FRONT INTERFACE INPUTS: HDMI x 1, USB x 2, USB (Touch) x 1; AV INPUT PORTS: HDMI (4K@60Hz)x1, HDMI(4k@30Hz)x2, Display Port x 1,USB(Touch) x 4; AV OUTPUT PORTS: HDMI x 1, Line Out x 2, DC Out (5v 2A) x1; OTHER INPUT/OUTPUT PORTS: USB 2.0 (Android) x 2, RS32 x 1, R145 x 2, Line Out x 1 USB 3.0 (Android) x 1, OPs Slot (4K@60Hz) x 1; INTELLIGENT LIGHT DETECTION: Yes; INTELLIGENT THERMO PROTECTOR: Automatic Hibernate when over-heated; BUILT-IN WiFi: 2.4G/5G (Optional); ANDROID SYSTEM: ARM a53 x 4, 1,4 GHz; SDRAM; 2GB; FLASH: 8GB; android version: 5.0.1; ON SCREEN ANNOTATION: Yes; GADGETS (ex. Calendar): Yes; WHITEBOARD: Yes;

Supplier	QTY	UOM	Price	
[ALT1] Troxell Communications, Inc.	1	EA	$2,039.80	Recommended

28	TRUTOUCH VN SERIES 750: Blacklight-LED, DISPLAY AREA - 65 x 38.3 in. ACTUAL SCREEN SIZE: 75 in. DISPLAY RATIO: 16:9; RESOLUTION: 3840 x 2160 pixels; DISPLAY COLORS: 10 bit; BRIGHTNESS: 370 nit; CONTRAST: 4000.1; RESPONSE TIEM: 8ms; VIEWING ANGLE: 178"; LIFE TIME: 50,000 hours; SPEAKER POSITION: Forward; MAXIMUM POWER OUTPUT: 15W (x2); POWER CONSUMPTION: Max <300 W: Standby <0.5W; WORKING VOLTAGE: AC 100-240 V, 50/60 Hz; TOUCH SURFACE: Anti-Glare, Anti-Fingerprint Tempered Glass; TRANSPERANCY: 88%; SURFACE HARDNESS: 7H; HID SUPPORT: HID; TOUCH POINTS: Up to 20 Points of Touch; WRITING TOOLS: Stylus, Finger, Eraser; SCAN SPEED: 250Hz; POSITIONING ACCURACY: 1-2mm; COMMUNICATION INTERFACE: USB; STORAGE TEMP./HUMIDIT: 14" - 122" / 10% - 90% RH; WORKING TEMP/HUMIDITY: 32" - 104" /10% - 90% RH; MOUNTING: Wall Mounted/Stand; OUTLINE DIMENSION: 69.6 x 42 x 4.5in.; PACKING DIMENSION: 75.7 x 42.4 x 11in; NET WEIGHT: 112.44lbs; GROSS WEIGHT: 149.91lbs; FRONT INTERFACE INPUTS: HDMI x 1, USB x 2, USB (Touch) x 1; AV INPUT PORTS: HDMI (4K@60Hz)x1, HDMI(4k@30Hz)x2, Display Port x 1,USB(Touch) x 4; AV OUTPUT PORTS: HDMI x 1, Line Out x 2, DC Out (5v 2A) x1; OTHER INPUT/OUTPUT PORTS: USB 2.0 (Android) x 2, RS32 x 1, R145 x 2, Line Out x 1 USB 3.0 (Android) x 1, OPs Slot (4K@60Hz) x 1; INTELLIGENT LIGHT DETECTION: Yes; INTELLIGENT THERMO PROTECTOR: Automatic Hibernate when over-heated; BUILT-IN WiFi: 2.4G/5G (Optional); ANDROID SYSTEM: ARM a53 x 4, 1,4 GHz; SDRAM; 2GB; FLASH: 8GB; android version: 5.0.1; ON SCREEN ANNOTATION: Yes; GADGETS (ex. Calendar): Yes; WHITEBOARD: Yes; WORD/PPT/PDF/EXCEL VIEWER: Yes MODEL: TT-7518VN or equal

Supplier	QTY	UOM	Price	
[ALT1] Troxell Communications, Inc.	1	EA	$2,958.16	Recommended

29	TRUTOUCH VN SERIES 860: Blacklight-LED, DISPLAY AREA - 74.6 x 42in. ACTUAL SCREEN SIZE: 86 in. DISPLAY RATIO: 16:9; RESOLUTION: 3840 x 2160 pixels; DISPLAY COLORS: 10 bit; BRIGHTNESS: 370 nit; CONTRAST: 4000.1; RESPONSE TIEM: 8ms; VIEWING ANGLE: 178"; LIFE TIME: 50,000 hours; SPEAKER POSITION: Forward; MAXIMUM POWER OUTPUT: 15W (x2); POWER CONSUMPTION: Max <450 W: Standby <0.5W; WORKING VOLTAGE: AC 100-240 V, 50/60 Hz; TOUCH SURFACE: Anti-Glare, Anti-Fingerprint Tempered Glass; TRANSPERANCY: 88%; SURFACE HARDNESS: 7H; HID SUPPORT: HID; TOUCH POINTS: Up to 20 Points of Touch; WRITING TOOLS: Stylus, Finger, Eraser; SCAN SPEED: 250Hz; POSITIONING ACCURACY: 1-2mm; COMMUNICATION INTERFACE: USB; STORAGE TEMP./HUMIDIT: 14" - 122" / 10% - 90% RH; WORKING TEMP/HUMIDITY: 32" - 104" /10% - 90% RH; MOUNTING: Wall Mounted/Stand; OUTLINE DIMENSION: 79.4 x 47.7 x 4.1in.; PACKING DIMENSION: 85.8 x 52.8 x 13.4in; NET WEIGHT: 143.3lbs; GROSS WEIGHT: 194lbs; FRONT INTERFACE INPUTS: HDMI x 1, USB x 2, USB (Touch) x 1; AV INPUT PORTS: HDMI (4K@60Hz)x1, HDMI(4k@30Hz)x2, Display Port x 1,USB(Touch) x 4; AV OUTPUT PORTS: HDMI x 1, Line Out x 2, DC Out (5v 2A) x1; OTHER INPUT/OUTPUT PORTS: USB 2.0 (Android) x 2, RS32 x 1, R145 x 2, Line Out x 1 USB 3.0 (Android) x 1, OPs Slot (4K@60Hz) x 1; INTELLIGENT LIGHT DETECTION: Yes; INTELLIGENT THERMO PROTECTOR: Automatic Hibernate when over-heated; BUILT-IN WiFi: 2.4G/5G (Optional); ANDROID SYSTEM: ARM a53 x 4, 1,4 GHz; SDRAM; 2GB; FLASH: 8GB; android version: 5.0.1; ON SCREEN ANNOTATION: Yes; GADGETS (ex. Calendar): Yes; WHITEBOARD: Yes; WORD/PPT/PDF/EXCEL VIEWER: Yes MODEL: TT-8618VN or equal

Supplier	QTY	UOM	Price	
[ALT1] Audio Visual Aids (Audio Visual Aids Co)	1	EA	$3,175.00	Recommended

30 OTHER % Percentage Discount on your latest Audio Visual Catalog or price list.

Supplier	QTY	UOM	% Discount	
Specialty Bulb Co Inc	1	EA	20.0%	Recommended
Advantage Imaging Supply, Inc.	1	EA	15.0%	Recommended
School Specialty, Inc.	1	EA	14.0%	Recommended
PYRAMID SCHOOL PRODUCTS (PYRAMID PAPER COMPANY)	1	EA	10.0%	Recommended
CALIFORNIA MEDIA SOLUTIONS INC.	1	EA	10.0%	Recommended
Romeo Music	1	EA	5.0%	Recommended
ADORAMA INC.	1	EA	5.0%	Recommended
AVES Audio Visual Systems, Inc.	1	EA	5.0%	Recommended
Demco, Inc (Administrator)	1	EA	5.0%	Recommended
School Outfitters	1	EA	2.0%	Recommended
B&H Photo-Video-Pro-Audio (B & H Foto & Electronics Corp.)	1	EA	1.0%	Recommended
Troxell Communications, Inc.	1	EA	1.0%	Recommended
Virtucom, Inc.	1	EA	0.0%	Recommended
ACP Direct (Affordable Computer Products, Inc.)	1	EA	0.0%	Recommended
Melhart Music Center (Jim Melhart Piano & Organ Co.)	1	EA	0.0%	Recommended
Sweetwater Sound INC	1	EA	0.0%	Recommended
Audio Visual Aids (Audio Visual Aids Co)	1	EA	0.0%	Recommended
Southern Computer Warehouse, Inc.	1	EA	0.0%	Recommended
Fork and Garden LLC	1	EA	0.0%	Recommended

31	OTHER: % Percentage Discount on your latest Audio Visual Catalog or Price List. If you have any questions please email Senior Buyer, Marisela Ayala @ mayala@bisd.us. Thank you,			
	Supplier	**QTY**	**UOM**	**% Discount**	
	Gateway Printing & Office Supply, Inc.	1	EA	25.0%	Recommended
	Specialty Bulb Co Inc	1	EA	20.0%	Recommended
	Advantage Imaging Supply, Inc.	1	EA	15.0%	Recommended
	Demco, Inc (Administrator)	1	EA	14.0%	Recommended
	CALIFORNIA MEDIA SOLUTIONS INC.	1	EA	10.0%	Recommended
	ADORAMA INC.	1	EA	5.0%	Recommended
	Romeo Music	1	EA	5.0%	Recommended
	AVES Audio Visual Systems, Inc.	1	EA	3.0%	Recommended
	School Outfitters	1	EA	2.0%	Recommended
	Troxell Communications, Inc.	1	EA	1.0%	Recommended
	ACP Direct (Affordable Computer Products, Inc.)	1	EA	0.0%	Recommended
	Melhart Music Center (Jim Melhart Piano & Organ Co.)	1	EA	0.0%	Recommended
	Sweetwater Sound INC	1	EA	0.0%	Recommended
	Audio Visual Aids (Audio Visual Aids Co)	1	EA	0.0%	Recommended
	Southern Computer Warehouse, Inc.	1	EA	0.0%	Recommended
	Fork and Garden LLC	1	EA	0.0%	Recommended